DATA FIELD:	CKR (CUSTOMER CIRCUIT REFERENCE)											
	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	O	O	N	N	N
B	O	O	O	O	O	O	O	N	N	N
C	O	O	O	O	O	O	O	N	N	N

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: UP TO 36AN

LOOP 6/LINP 7/INP NEW

UNE-2

DATA FIELD: ECCKT (EXCHANGE COMPANY CIRCUIT ID)

	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
REQTYP										
A	O	R	R	R	R	R	O	N	N	N
B	O	R	R	R	R	R	O	N	N	N
C	N	N	N	N	N	N	N	N	N	N

EDITS:

FATAL CONDITIONS:

REQUIRED FOR EACH REFNUM

DATA CHARACTERISTICS: UP TO 36AN

ERROR CODE: _ _ _ _ **ERROR MSG: REFNUM** _ _ _ _ **ECCKT REQUIRED**

WHEN ACT FIELD IS C, D, M, T, or R ON REQTYP'S A OR B

ERROR CODE: _ _ _ _ **ERROR MSG: REFNUM** _ _ _ _ **ECCKT MUST BE IN CLT, CLS OR CLF FORMAT**

LOOP 7/LINP 8/INP NEW

UNE-3

11:08 AM 10/8/97

DATA FIELD: ___ **CFA (CONNECTING FACILITY ASSIGNMENT)**

ACTIVITY TYPE (ACCOUNT LEVEL)									
A	**C**	**D**	**M**	**T**	**R**	**V**	**SS**	**RS**	**W**

REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	O	O	N	N	N
B	O	O	O	O	O	O	O	N	N	N
C	N	N	N	N	N	N	N	N	N	N

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: UP TO 42AN

ERROR CODE: _ _ _ _ **ERROR MSG: REFNUM** _ _ _ **CFA FORMAT INVALID**

LOOP 8/LINP 9

UNE-4

11 08 AM10/8/97

DATA FIELD: SYSTEM ID (SYSTEM IDENTIFICATION)

REQTYP	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	O	O	N	N	N
B	O	O	O	O	O	O	O	N	N	N
C	N	N	N	N	N	N	N	N	N	N

DATA CHARACTERISTICS: UP TO 5AN

LOOP 9/LINP 10

UNE-5

DATA FIELD: CABLE ID (CABLE IDENTIFICATION)

REQTYP	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	O	O	N	N	N
B	O	O	O	O	O	O	O	N	N	N
C	N	N	N	N	N	N	N	N	N	N

LEGEND: C = CONDITIONAL
P = PROHIBITED
R = REQUIRED
O = OPTIONAL
N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: UP TO 5AN

LOOP 10/LINP 11

UNE-6

DATA FIELD: __SHELF (SHELF)__

ACTIVITY TYPE (ACCOUNT LEVEL)									
A	C	D	M	T	R	V	SS	RS	W

REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	O	O	N	N	N
B	O	O	O	O	O	O	O	N	N	N
C	N	N	N	N	N	N	N	N	N	N

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: __UP TO 6AN__

LOOP 11/LINP 12

UNE-7

DATA FIELD: ___ **SLOT (SLOT)**

	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	**C**	**D**	**M**	**T**	**R**	**V**	**SS**	**RS**	**W**
REQTYP										
A	O	O	O	O	O	O	O	N	N	N
B	O	O	O	O	O	O	O	N	N	N
C	N	N	N	N	N	N	N	N	N	N

DATA CHARACTERISTICS: UP TO 6AN

LOOP 12/LINP 13

UNE-8

DATA FIELD: **RELAY-RACK (RELAY RACK)**

REQTYP	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
A	O	O	O	O	O	O	O	N	N	N
B	O	O	O	O	O	O	O	N	N	N
C	N	N	N	N	N	N	N	N	N	N

DATA CHARACTERISTICS: UP TO 10AN

LOOP 13/LINP 14

UNE-9

DATA FIELD: ___ **CHAN/PAIR(CHANNEL/PAIR)**

	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
REQTYP										
A	O	O	O	O	O	O	O	N	N	N
B	O	O	O	O	O	O	O	N	N	N
C	N	N	N	N	N	N	N	N	N	N

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: UP TO 5AN

LOOP 14/LINP 15

UNE-10

DATA FIELD: ___ **OTN (OUT/OLD TELEPHONE NUMBER)**

	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
REQTYP										
A	O	O	O	O	O	O	O	N	N	N
B	N	N	N	N	N	N	N	N	N	N
C	N	N	N	N	N	N	N	N	N	N

DATA CHARACTERISTICS: 10N

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _ TN MUST BE 10 NUMERICS

LOOP 22/

UNE-11

DATA FIELD: TER(TERMINAL NUMBER)

	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
REQTYP										
A	O	O	O	O	O	O	O	N	N	N
B	N	N	N	N	N	N	N	N	N	N
C	N	N	N	N	N	N	N	N	N	N

DATA CHARACTERISTICS: UP TO 4N

LOOP 23

UNE-12

DATA FIELD: __ TN (TELEPHONE NUMBER)

		ACTIVITY TYPE (ACCOUNT LEVEL)								
	A	C	D	M	T	R	V	SS	RS	W
REQTYP										
A	N	N	N	N	N	N	N	N	N	N
B	R	R	R	R	R	R	R	N	N	N
C	R	R	R	R	R	R	R	N	N	N

FATAL EDIT

REQUIRED FOR EACH REFNUM

DATA CHARACTERISTICS: 10N

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _ TN REQUIRED ON ACT TYPES A, C, D, M, T, R, V ON REQTYP'S B & C

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _ TN MUST BE 10 NUMERICS

LINP 23/INP 6

UNE-13

| DATA FIELD: | TNP (TOTAL NUMBER OF PATHS) | | | | | | | | | | LEGEND: C = CONDITIONAL |

	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
REQTYP										
A	N	N	N	N	N	N	N	N	N	N
B	R	O	O	O	O	O	R	N	N	N
C	R	O	O	O	O	O	R	N	N	N

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

EDITS:

FATAL - CONDITIONAL

REQUIRED FOR EACH REFNUM

DATA CHARACTERISTICS: UP TO 3N

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _ TNP REQUIRED WITH THIS REQTYPE AND ACTIVITY TYPE

LINP 24/INP 7

UNE-14

DATA FIELD: CFTN (CALL FORWARD TO NUMBER)

	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
REQTYP										
A	N	N	N	N	N	N	N	N	N	N
B	C	C	C	C	C	C	C	N	N	N
C	C	C	C	C	C	C	C	N	N	N

EDITS:

FATAL - CONDITIONAL

1. REQUIRED WHEN THE INPT FIELD IS B

   ON REQTYP'S B & C

2. REQUIRED FOR EACH REFNUM

DATA CHARACTERISTICS: 10N

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _

CFTN REQUIRED WHEN THE INPT FIELD IS B ON REQTYP B OR C

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _ CFTN MUST BE 10 NUMERICS

LINP 25/INP 8

UNE-15

DATA FIELD: ___ **INPT (INTERIM NUMBER PORTABILITY TYPE)**

	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	N	N	N	N	N	N	N	N	N	N
B	R	O	O	O	O	O	R	N	N	N
C	R	O	O	O	O	O	R	N	N	N

EDITS:

FATAL - CONDITIONAL

1. REQUIRED WHEN THE ACT FIELD IS A OR V

   ON REQTYP'S B & C

2. REQUIRED ON EACH REFNUM

DATA CHARACTERISTICS: 1A

VALID VALUES: A, B OR C

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _

INPT REQUIRED WHEN THE ACT FIELD IS A OR V ON REQTYP'S B OR C

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _ INPT VALID VALUES ARE A, B OR C

LINP 26/INP 9

UNE-16

DATA FIELD: ___ RTI (ROUTE INDEX)

REQTYP	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
A	N	N	N	N	N	N	N	N	N	N
B	O	O	O	P	P	O	O	N	N	N
C	O	O	O	P	P	O	O	N	N	N

DATA CHARACTERISTICS: UP TO 6 /

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _

RTI PROHIBITED ON ACT TYPES M AND T ON REQTYP'S B AND C

LINP 27/INP 10

UNE-17

DATA FIELD: INPTG (INTERIM NUMBER PORTABILITY TRUNK GROUP)

REQTYP	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
A	N	N	N	N	N	N	N	N	N	N
B	O	O	O	O	O	O	O	N	N	N
C	O	O	O	O	O	O	O	N	N	N

DATA CHARACTERISTICS: UP TO 8AN

LINP 28/INP 11

UNE-18

DATA FIELD: TBE (TOLL BILLING EXCEPTION)

	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
REQTYP										
A	N	N	N	N	N	N	N	N	N	N
B	O	O	P	P	O	P	O	N	N	N
C	O	O	P	P	O	P	O	N	N	N

DATA CHARACTERISTICS: 1A

VALID VALUES: A, B, C, R, S

ERROR CODE: _ _ _ _ **ERROR MSG: REFNUM**_ _ _ _

TBE PROHIBITED WITH THIS REQTYPE AND ACTIVITY TYPE

ERROR CODE: _ _ _ _ **ERROR MSG: REFNUM**_ _ _ _ **TBE VALID VALUES ARE A, B, C, R, S**

LINP 29/INP 12

UNE-19

DATA FIELD: ___ **TC OPT(TRANSFER OF CALLS OPTIONS)**

	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
REQTYP										
A	P	O	O	P	O	P	P	N	N	N
B	P	O	O	P	O	P	P	N	N	N
C	P	O	O	P	O	P	P	N	N	N

DATA CHARACTERISTICS: 2N

EDITS:

SAME AS ERROR MESSAGES

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _TC OPT VALID

ENTRIES ARE 00, 03, 05, 08, 21, 23, 25, 26, 31, 51, 81 FOR REQTYP A

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _TC OPT VALID

ENTRIES ARE 00, 03, 05, 21, 23 ,25,26, 31,51, 81 FOR REQTYP B

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _TC OPT VALID

ENTRIES ARE 03, 05, 21, 23, 25, 26, 31, 81 FOR REQTYP C

ERROR CODE:_ _ _ _ ERROR MSG: REFNUM_ _ _ _ PROHIBITED FOR

THIS ACTIVITY TYPE AND REQTYP

LOOP 24/LINP 13/LINP 30

UNE-20

DATA FIELD: **TCTO PRIMARY (TRANSFER OF CALLS TO PRIMARY NUMBER)**

REQTYP	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
A	N	C	C	N	C	N	N	N	N	N
B	N	C	C	N	C	N	N	N	N	N
C	N	C	C	N	C	N	N	N	N	N

EDITS:

FATAL-CONDITIONS

1. REQUIRED WHEN TC OPT FIELD = 81

DATA CHARACTERISTICS: 10N

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _ TCTO-PRIMARY

REQUIRED WHEN TC OPT FIELD = 81

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _ TCTO-PRIMARY MUST BE 10 NUMERICS

LOOP 25/INP14/LINP31

UNE - 21

DATA FIELD: ___ TCTO-SECONDARY (TRANSFER OF CALLS TO SECONDARY NUMBER)

REQTYP	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
A	N	C	C	N	C	N	N	N	N	N
B	N	C	C	N	C	N	N	N	N	N
C	N	C	C	N	C	N	N	N	N	N

EDITS:

FATAL-CONDITIONS

1. REQUIRED WHEN TC OPT FIELD IS POPULATED WITH 81

DATA CHARACTERISTICS: 10N

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _ TCTO-SECONDARY REQUIRED WHEN TC OPT = 81

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _ TCTO-SECONDARY MUST BE 10 NUMERICS

LOOP 26/INP 15/LINP 32

UNE-22

DATA FIELD: TC NAME-PRIMARY(TRANSFER OF CALLS TO PRIMARY NAME)

REQTYP	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	C	D	M	T	R	V	SS	RS	W
A	N	C	C	N	C	N	N	N	N	N
B	N	C	C	N	C	N	N	N	N	N
C	N	C	C	N	C	N	N	N	N	N

EDITS:

FATAL-CONDITIONS

1. REQUIRED WHEN TC OPT FIELD IS POPULATED WITH 81

DATA CHARACTERISTICS: UP TO 35AN

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _ TC NAME PRIMARY REQUIRED WHEN TC OPT = 81

LOOP 27/INP 16/LINP 33

UNE-23

DATA FIELD: TC NAME-SECONDARY(TRANSFER OF CALLS TO SECONDARY NAME)

	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	**C**	**D**	**M**	**T**	**R**	**V**	**SS**	**RS**	**W**
REQTYP										
A	N	C	C	N	C	N	N	N	N	N
B	N	C	C	N	C	N	N	N	N	N
C	N	C	C	N	C	N	N	N	N	N

EDITS:

FATAL-CONDITIONAL

1. REQUIRED WHEN TC OPT FIELD IS POPULATED WITH 81

DATA CHARACTERISTICS: UP TO 35AN

ERROR CODE: _ _ _ _ **ERROR MSG:** **REFNUM** _ _ _ _ **TC NAME**

SECONDARY REQUIRED WHEN TC OPT = 81

LINP 34/INP 17/LOOP 28

UNE-24

DATA FIELD: **TC PER-CC(TRANSFER OF CALLS CENTURY CODE)**

ACTIVITY TYPE (ACCOUNT LEVEL)									
A	**C**	**D**	**M**	**T**	**R**	**V**	**SS**	**RS**	**W**

REQTYP	A	C	D	M	T	R	V	SS	RS	W
A	N	C	C	N	C	N	N	N	N	N
B	N	C	C	N	C	N	N	N	N	N
C	N	C	C	N	C	N	N	N	N	N

DATA CHARACTERISTICS: 2N

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _ TC PER CC MUST BE

CURRENT OR FUTURE CENTURY OF 2 NUMERICS

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM_ _ _ _ TC PER CC

REQUIRED WHEN TC-PER DATE IS POPULATED

LOOP 29/INP 18/LINP 35

UNE-25